



Binary Eutectic Phase Diagram



Equilibrium crystallization of composition X result (T4)



52% A phenocrysts
48% anhedral groundmass
(36%A+64%B)

Temp.	Vol. % Melt	Melt comp.	Vol. % Solid	Solid comp.
T1	100	68A+32B	0	NA
T2	72	57A+43B	28	A
T3	48	36A+64B	52	A
T4	0	NA	100	68A+32B